



NEVIS

Kleurenkaart



NEVIS


Kleurenkaart



 **HUISLIJN**
www.huislijnkantoormeubelen.nl

NEVIS

Kleurenkaart



NEVIS


Kleurenkaart

GENERAL FABRIC INFORMATION					
Quality Name	NEVIS-A	Design Name	NEVIS 02		
End-Use	UPHOLSTERY FABRICS	Width (±2cm)	140 cm (55")	Weight	630 gr/m ²
Composition	%11 CV %48 PAN %41 PES	Specials			

PHYSICAL TESTS			
Test	Standarts	Results	
Abrasion End	EN ISO 12947-2	50000	
Wyzenbeek	ASTM D4157	50000	
Martindale-Pilling 2.000 Cycle	EN ISO 12945-2	4/5	
Brush Pilling	D3511-99A	4	
Test	Standarts	Warp	Weft
Seam Slippage	EN ISO 13936-2	0.7	1.5
Tear Strength	EN ISO 13937-3	126	324
Tensile Strength	EN ISO 13934-1	1761	2000
Colour Fastness Rubbing	EN ISO 105-X12(Dry/Wet)	4/5	4/5
Colour Fastness Light	EN ISO 105-B04		

FLAMMABILITY TESTS		
Test	Standarts	Results
Cigarette Test	BS 5852 PART 1 SOURCE 0	PASS
Cigarette Test	EN 1021-1	PASS
Cigarette Test	CALL 117	PASS
Cigarette Test	NFPA 260	PASS

REPELLENCY / CLEANABILITY TESTS		
Test	Standarts	Results
Bleach Cleanable Test	AATCC 101-ACT TM1 With Extra Process	PASS

CARE CODES			
Washable	Wash 30°C gentle cycle	Care symbols	
Iron	Low iron at max 110°C		
Tumble dry	Do not tumble dry		
Bleach	Do not bleach		
Dry clean P	Dry-cleaning in perchloroethylene gentle cycle		